STATEMENT OF WORK TO INSPECT AND REPAIR ONLY AS NECESSARY THE NORTH FINDING MODULE CENTRAL PROCESSING UNIT, CPU NSN 5999-01-212-3792

Prepared by:
Marine Corps Systems Command
Code CBG
814 Radford Blvd STE 20343
Albany, GA 31704-0343

TABLE OF CONTENTS

<u>Paragraph</u>	Title	<u>Page</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standard	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2 2 2 3 3
3.1	General Tasks	2
3.2	Detailed Tasks	2
3.2.1	Phase I- Pre-Induction	3
3.2.2	Phase II- Repair	
3.2.3	Phase III- Inspection, Testing, and Acceptance	4
3.2.4	Phase IV- Packing, Handling, Storage, and Transportation	4
3.3	Government Furnished Equipment (GFE)/Government	4
	Furnished Materiel (GFM)	
3.4	Contractor Furnished Materiel	4
3.5	Configuration Control	4
3.6	Electrostatic Discharge (ESD) Control Program	5
3.7	Quality Assurance Provisions	5
3.8	Acceptance	5
3.9	Rejection	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Repairable Item Inspection Report	5
4.3	Monthly Progress Reports	5
Appendix		
Α .	DA Form 2404 (1 Apr 79)	
В	Standard Form 364 (Rev. 2-80)	

STATEMENT OF WORK TO INSPECT AND REPAIR ONLY AS NECESSARY THE NORTH FINDING MODULE CENTRAL PROCESSING UNIT, CPU NSN 5999-01-212-3792

- 1.0 SCOPE. This Statement of Work (SOW) establishes and sets forth tasks and identifies the work efforts that shall be performed by the Contractor to Inspect and Repair Only as Necessary (IROAN) the North Finding Module Central Processing Unit (CPU), Engineering Drawing 81A5034A0150, CAGE 80372, NSN 5999-01-212-3792, hereafter referred to as the CPU. This document contains requirements to restore the CPU to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129

DoD Standard Practice for Military Marking

MIL-STD-2073-1D

DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

RS 08911A-50&P/3

Rebuild Standard With Illustrated Parts List

North Finding Module MX-18204/GSQ

81A5034A0150/

CPU and 12K Memory Assembly, A4, Engineering

CAGE 80372, Revision C

Drawing

DoD 4000.25-1-M

MILSTRIP Manual

TM 09811A-34&P/2

Intermediate Maintenance Manual with Illustrated

Parts List for North Finding Module

MX-18204/GSQ

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

JESD625-A

Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9002-

1994

Quality Systems- Model for Quality Assurance in

Production, Installation, and Servicing

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, Pa., 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

- 3.1 <u>General Tasks</u>. In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and/or calibrate the CPU. Upon completion of repair, the subject item shall be Condition Code "A."
- 3.2 <u>Detailed Tasks</u>. The following tasks describe the different phases for repair of the CPU:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing, and Acceptance

Phase IV Packaging, Handling, Storage, and Transportation

(PHS&T)

- 3.2.1 <u>Phase I- Pre-Induction</u>. The Contractor shall perform a pre-induction inspection analysis for each CPU within 5 working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Systems Command (MCSC), (Code CBG), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction checklist, which consists of DA Form 2404 (Appendix A) and Standard Form 364 (Appendix B), shall be used to report all anomalies and shall be provided to the Government (MCSC, Code CBG) in accordance with Section 4.0 of this SOW.
- 3.2.2 <u>Phase II Repair</u>. After pre-induction tests and inspections have been completed, repair of the CPU shall be accomplished by the Contractor in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist (Appendix A and Appendix B) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> The following standard, publication, and engineering drawing shall be used to assist the Contractor in restoring the CPU to condition code "A."

RS 08911A-50&P/3	Rebuild Standard With Illustrated Parts List North Finding Module MX-18204/GSQ							
TM 09811A-34&P/2	Intermediate Maintenance Manual with Illustrated Parts List for North Finding Module MX-18204/GSQ							
81A5034A0150/ CAGE 80372, Revision C	CPU and 12K Memory Assembly, A4, Engineering Drawing							

3.2.3 Phase III - Inspection, Testing, and Acceptance

- a. The Contractor shall conduct Inspection, Testing and Acceptance of the CPU in accordance with the publications and documents listed in section 3.2.2.b.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCSC (Code CBG), Albany, GA representatives may require the Contractor to repeat tests.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation

- a. The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be to level B requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2) 814 Radford Blvd, STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.4 <u>Contractor Furnished Materiel (CFM)</u>. The contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.5 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration baseline items. The contractor shall not implement configuration

changes to an items' documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.

- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 Quality Assurance Provisions. The Contractor shall provide and maintain a quality system that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System- Model for Quality Assurance in Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government (MCSC, Code CBG) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- 3.8 Acceptance. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (MCSC, Code CBG) representatives shall be permitted to observe the work or to conduct an inspection.
- **Rejection**. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCSC, Code CBG, Albany, representative. The Contractor shall, at no additional cost to MCSC, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- **REPORTS**. The contractor shall provide one copy of the below reports to the following address: "Marine Corps Systems Command, Attn: (CBG), 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320.
- 4.1 <u>Pre-Induction Checklist</u>. The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A and Appendix B) for each CPU repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided after final acceptance of the CPU.
- **4.2** Repairable Item Inspection Report. The Contractor shall provide a Repairable Item Inspection Report for each CPU repaired.
- **4.3** <u>Monthly Progress Reports</u>. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the CPU Program.

			C-1: C	D + D + 1 + 4 = 2	0.550	1 720 76	1 4		07.00		
		For us	e of this form, se	e DA PAM 73					SLOG		
1. ORGANIZ	ATION ATION/SERIA	LAICNI	4a. MILES	4b. HOURS	4c. ROUN		CLATURE and N	S. DATE		4 TVDE II	NSPECTION
2. REGISTRA	ATIONSERIA	DIASIA	40. MILES	40. HOURS	FIRE		STARTS	J. DAID		U. I IFE	MSFECTION
7.				APPLICABLE	REFEREN						
TM NUMBE	iR		<u>T</u> 1	M DATE		TM NUM	BER			TM DATE	
COLUM	IN a - Enter	TM number.						v corrective actio	n for defi	ciency o	r shortcoming
COLUM	IN b - Enter	r applicable cond	dition status Syml	bol.			Column c.			_	
COLUM	IN c - Enter	deficiencies and	d shortcomings.			in this c	olumn.	ridual ascertainin	g complet	ted corre	ctive action initial
					CATUS S						
"X" - Ind inoperative		ficiency in the eq	quipment that plac	ces it in an			must be com-	Indicates a mater ected to increase viceable.			
CIRCLE	D "X" - Ind	licated a deficier	ncy, however, the	equipment ma		l •	•				
operated ur	nder specifi	c limitations as o	directed by higher action can be acc	r authority or a	ıs			IAL IN BLACK, ctory condition e		BLUE I	NK, OR PENCIL -
HORIZONTAL DASH "(-)" - Indicates that a required inspection, component replacement, maintenance operation check, or test flight is but has not been accomplished, or an overdue MWO has not been accomplished.										red.	
accompasi		INSPECTIONS	AND EQUIPMI	ENT CONDIT	IONS RE	CORDE	D ON THIS I	ORM HAVE BE	EN DET	ERMIN	ED.
			CE WITH DIAG								
8a SIGNAT) performing inspection		8b. TIME			aintenance Superi		9b. TIME	1120111	10. MANHOURS
TM ITEM	STATUS	DÉFI	ICIENCIES AND SHO	ORTCOMINGS	<u> </u>		COF	RECTIVE ACTION			REQUIRED INITIAL WHEN
NO. a. b. c.						ĺ		d.			CORRECTED e.
	- U.		С.			-		u.			
						ļ <u></u>		<u></u>			
ļ						\					
				<u> </u>			<u> </u>				
		_ .									<u> </u>
		•									

· · · · · · · · · · · · · · · · · · ·	<u> </u>										
											
						 		•			
									<u> </u>		
		<u> </u>									
								.			
		i e				i .					

DA FORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

Appendix (A)

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepance	cies,
and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.	
CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).	

ok cheu iii 19 (2) (a)	-											
REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGING						2. REPORT NUMBER:						
	4	4. FROM: (Name and Address, Include ZIP Code)										
	5	ib. NUMBER AND DAT	E OF INVOICE			MENT NUMI	BER					
7a. SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, etc) 7b. OFFICE ADMINISTERING CONTRACT						R'S NUMBER (R	equisition, Pu	rchase Request,				
LLING, AND RECEIPT D	ΛΥΛ			10.	DISCREPAN	CY DATA		11.				
	UNIT OF ISSUE (b)			QUAN- TITY (a)	UNIT PRICE (b)	TOTAL COST (c)	CODE (d)					
ssary)												
DISCREPANCY	CODES					2 ACTION	CODES					
Bo of issue pack) ab	ent material (Apple CP MATERIA) will less than that of the less than than the less than the less than the less than the less than than the less than that the less than the less than the less than the less than that the less than th	EFICIENCIES Applicable to Grant Aid and FMS shipments) RIAL hat on receipt document har requested (Other than unit of issue pack) et post shipments TA MARKINGS (i.e., Name Plates, Log ks, Special Instructions, etc.) ational markings missing sing or incomplete sting data missing or incomplete ing requested item as a separate copy in Item 9. IA - Disposition instructions in IB - Material being retained (Section of IB - Material being retained (Section instructions in IB - Material being retained (Section in IB - Material be					ested at (Not at supplier's atrary lot					
	ssary) 1. DISCREPANCE Bo of issue pack) ab	ILING, AND RECEIPT DATA UNIT OF ISSUE (b) 1. DISCREPANCY CODES PRODUCT (Q1 - Defici SHORTAGE S1 - Quanti S2 - Quanti S3 - Nou-re ITEM TECH Books, Operat T1 - Missin T2 - Illegib T3 - Precau T4 - Inspec T5 - Service T6 - Warran WRONG IT above) W1 - Incon W2 - Unacc OTHER DISS	Tb. OFFICE ADMINISTERING CONTRACT UNIT QUANITY OF SHIPPED ISSUE BILLED (b) (c) 1. DISCREPANCY CODES PRODUCT QUALITY DEFIC Q1 - Deficient material (App SHORTAGE OF MATERIAL S1 - Quantity less than that c S2 - Quantity less than that c S3 - Non-receipt of parcel p ITEM TECHNICAL DATA I Books, Operating Handbooks, S T1 - Missing T2 - Illegible or Mutilated T3 - Precautionary operation T4 - Inspection data missing T5 - Serviceability operating T6 - Warranty data missing WRONG ITEM (Identify requabove) WI - Incorrect item received	1. DATE OF PREPARAT 4. FROM: (Name and Add 5b. NUMBER AND DAT 5b. NUMBER AND DAT The Office Administering Contract Unit QUANTITY QUANTITY Of SHIPPED/ RECEIVED ISSUE BILLED (b) (c) (d) ssary) 1. DISCREPANCY CODES PRODUCT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that on receipt document S3 - Non-receipt of parcel post shipments ITEM TECHNICAL DATA MARKINGS (i.e., Name Books, Operating Handbooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or Mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplet of warranty data missing or incomplete T5 - Serviceability operating data missing or incomplet of warranty data missing or incomplete WONG ITEM (Identify requested item as a separate above) W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES	1. DATE OF PREPARATION 4. FROM: (Name and Address, Include ZIP of Shipments) 5b. NUMBER AND DATE OF INVOICE 5b. NUMBER AND DATE OF INVOICE 10. The SHIPPED RECEIVED TITY 11. DISCREPANCY CODES 11. DISCREPANCY CODES 12. PRODUCT QUALITY DEFICIENCIES 13. Quantity less than that on receipt document S2. Quantity less than that on receipt document S2. Quantity less than that requested (Other than unit of issue pack) 13. Non-receipt of parvel pots shipments 15. TEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log Books, Operating Handbooks, Special Instructions, etc.) 17. Missing 17. Higsing 17. Higsing 18. Precautionary operational markings missing 14. Inspection data missing or incomplete 15. Serviceability operating data missing or incomplete 15. Serviceability operating data missing or incomplete 15. Serviceability operating data missing or incomplete 16. Warranty data missing WRONG ITEM (Identify requested item as a separate copy in Item 9, above) WI. Incorrect item received W2. Unacceptable substitute OTHER DISCREPANCIES	1. DATE OF PREPARATION 4. FROM: (Name and Address, Include ZIP Code) 5b. NUMBER AND DATE OF INVOICE 5c. TRANSPO (GBL, Wa) 7b. OFFICE ADMINISTERING CONTRACT 10. DISCREPAN UNIT QUANITITY QUANITITY QUANITITY PRICE SISPED (b) (c) (d) (a) (b) 1. DISCREPANCY CODES PRODUCT QUALITY DEFICIENCIES QL - Deficient material (Applicable to Grant Aid and FMS shipments) SHORTAGE OF MATAICAL S1 - Quantity less than that on receipt document S2 - Quantity less than that on receipt document S2 - Quantity less than that on receipt document S2 - Quantity less than that on receipt document S2 - Quantity less than that on receipt document S2 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack) 33 - Non-receipt of pracel post shipments ITEM TECHNICAL DADADOKS, Special Instructions, etc.) 11. Missing T2 - Illegible or Mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T3 - Serviceability operating data missing or incomplete T4 - Serviceability operating data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing or incomplete T7 - Warranty data missing or incomplete T8 - Serviceability operating data missing or incomplete T8 - Serviceability operating data missing or incomplete T9 - Warranty data missing T8 - Precaucity data missing T9 - Precaucity data missing	1. DATE OF PREPARATION 4. FROM: (Name and Address, Include ZIP Code) 5b. NUMBER AND DATE OF INVOICE 5c. TRANSPORTATION DOCU (GBL, Washill, TCN, etc.) 7b. OFFICE ADMINISTERING CONTRACT 10. DISCREPANCY DATA 10. DISCREPANCY DATA 10. DISCREPANCY DATA 11. DATE OF INVOICE 12. REQUISITIONER'S NUMBER (Retc.) 13. VALUATITY QUANTITY QUANTITY QUANTITY PRICE COST INTY PRICE COST IN	1. DATE OF PREPARATION 2. REPORT NUMBER:				

14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PREPARING OFFICIAL	14b. SIGNATURE
	1
IS DISTRIBUTION ADDRESSED FOR CORRES	· · · · · · · · · · · · · · · · · · ·

5. DISTRIBUTION ADDRESSEES FOR COPIES

364-103 7540-00-159-4442

(Previous edition is obsolete)

STANDARD FORM 364 (Rev. 2-80) (EG) Prescribed by GSA FPMR 101.20.0

Appendix (B)

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for fassing to comply with a collection of information if it does not display a currently valid OM8 control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT L	INE ITEM NO.	B. EXHI	BIT	ļ	C. CATEGORY:							
D. SYSTEM/ITEM North Fir	M nding Module, Cl	PU	E. CONTRA	_	TRACTOR		······································					
I. DATA ITEM NO.	2. TITLE OF DATA ITEM		1			3. SUBTIT	LE					17. PRICE GROUI
A001	Contractor's Pro	•		_	nt Report			Manageme	nt			
	Acquisition Document No.	J	5. CONTRACT				1	ING OFFICE	A 1ba	C.	_	18. ESTIMATED TOTAL PRICE
	MGMT-80227	Tan		SOW	4.3 OF FIRST SUBI	MACKAN		CSC (CBG)		цу, Ga	il.	
7. DD 260 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQU	ATHLY		See Blk 1		14.	DISTRIB		. COPIES		
8. APP CODE	+	11. AS OF		13. DATE	OF SUBSEQUE		- a. A	DDRESSEE			nal	
N/A	A			SUBMI	ssion See Blk 1	6			Draft	Reg	Repro	1
16. REMARKS	tor format is author	orized					MCSC	(CBG)	0	1	0	
			D-1-4	-	10.2= 10	216	Alba	ny, GA	<u> </u>			
Blk 4: Tailor I 10.3i, and 10.	DI-MGMT-80227 3j.	as follov	ws: Delete p	aragrapns	10.3g, 10	.3n,	L		.		Į	
	eporting period sh submission shall											
	quent submissions											
							<u> </u>				-	
unlimited.	tatement A: Appr	V 101	paomo rono					- 18-1	-		<u> </u>	
									 		1	
											1	
]
									<u></u>		ļ	
							<u> </u>		 		ļ	
<u>.</u>					-				╂		1	-
							-		╂	1	1	1
									1		1	
									—			
							ļ					
							<u> </u>		↓			4
•							-		-	1	1	- 1
							-		+		-	1
ł						÷	!		+-	 	 	1
									†	1		
							ļ		<u> </u>		<u>.</u>	
				,					-	-		4
							ļ		+-	1	-	1
							-		+		1	1
	•								+-	1	1	1
									<u> </u>		1	1
							16. TOTA	L	0		0] .
G. PREPARED E	BY ,		H. DATE		APPROVE				J. D/			
Same	1 tay be		1.23	3.02	3h	كمكم	CLE		1/:	23/2	>	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Athington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT L	INE ITEM NO.	B. EXHIE	BIT		TEGORY:	_		×				
****			T	TDP			OTHER					
D. SYSTEM/ITEM North Fir	E. CONTRAC	;i/PR NO) .	r. CON	TRACTOR	•						
1. DATA ITEM NO.	2. TITLE OF DATA HEA					3. SUBTIT	Œ					17. PRICE GROUP
. UPLISTIES NV.	Z. THE OF DATA HER	-										11
B001	Rena	irable Ite	m Inspection	Report		Inte	grated Log	gistics Sup	port St	andar	ds	
	Acquisition Document No		5. CONTRACT F				6. REQUIRING		•			18. ESTIMATED
	I-ILSS-80386			SOW	<i>I</i> 4.2		MC	SC (CGB),	Ablan	ıy, G	4	TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT	10. FREQU	ENCY	12. DAT	E OF FIRST SUB	MISSION	14.	DISTRIBU	TION			
LT	REQUIRED	A	ASREQ	ŀ	See Blk 1	6			b	. COPIE	6	
8. APP CODE	1	11. AS OF	DATE		E OF SUBSEQUE	NT	a. ADD	RESSEE	Dan B	Fi	nal	
N/A	Α			506	See Blk 1	6			Draft	Reg	Repro	
16. REMARKS	tor format is auth	horizad				•	MCSC (CBG)	0	1	0	
							Albany	, GA				i i
Blk 10: A sepe	erate report shall	be submi	tted for each	Meteor	ological Sta	tion						
										,		
Biks 12 & 13; completion of	Submit report by Meteorological S	Marine	Corps Serial roun	Number	r 30 days al	ιer						
							1					
BIK 14: Report	ts shall be provide	ea on nai	u copy.						igsqcut			
Distribution C		ored for	aublia Dalas	oa: Diet	ribution is							
Unlimited.	tatement A: Appr	Oven ioi	public Reica	isc, 1715u	TIONION 12			, 			 	
								-				
												1
							ļ				<u> </u>	
										<u> </u>		
											<u> </u>	
									\vdash		\vdash	l I
							-			<u> </u>	+	1
											1	1
										 	1	
												1
												1
							-			<u> </u>	1	
											1	1
	•										1	1
											1	1
												1
]
												1
												1
									.	<u> </u>	<u> </u>	1
									<u> </u>			4
									<u> </u>			11
							<u> </u>		ļ	ļ	<u> </u>	1
l									1	L	1	1
									1		1	4
							16. TOTAL	<u> </u>	0		0	1
G. PREPARED E	BY /)		H. DATE		I. APPROVE				J. DA	ITÉ		
Danel	V lay be		1-23	.02	316	(u)	. 7		1-a	<u>،3</u> -	· L	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suir 1294, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shell be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OM8 control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	8. EXHIBIT	Γ	C. CATEGORY:		V.			į	i l	
	İ		TDP	тм с	OTHER X	 _			i	
D. SYSTEM/ITEM North Finding Module, (E. CONTRACT	/PR NO.	R NO. F. CONTRACTOR						
1. DATA ITEM NO. 2. TITLE OF DATA ITE	M			3. SUBTITI	IE				17. PRICE GROUP	
\				}				}	i 	
C001	Request F	or Deviation	1		Configuration Man	ageme	nt			
4. AUTHORITY (Data Acquisition Document A	lo.J	5. CONTRACT REP			6. REQUIRING OFFICE				18. ESTIMATED TOTAL PRICE	
DI-CMAN-80640C			SOW 3.5		MCLBA	(583))		I I I I I I I I I I I I I I I I I I I	
7. DO 250 REQ 9. DIST STATEMENT	10. FREQUEN	ICY	12. DATE OF FIRST	SUBMISSION	14. DISTRIBU	TION				
LT	A.S	SREQ	See Bl	k 16		l l	. COPIES	s	i i i	
8. APP CODE	11. AS OF D	ATE	13. DATE OF SUBSE	QUENT	a, ADDRESSEE		Fi	nel		
. A			SUBMISSION			Draft	Reg	Repro		
16. REMARKS Blk 4 - Contractor format subn	nitted in a	If or doc for	mat is authoris	red	MCLBA (583-1)	_0	1	0	Į	
Dik 4 - Contractor format sum	mucu m .pc	14		Linna						
Biks 10 & 12 - RFDs shall be nonconforming material which documentation.	submitted to does not m	neet prescribe	ed configuration	n N						
RFDs will be reviewed and dis receipt by the Government.	POPAGON CH								4	
									1	
Block 14: RFDs shall be trans mbmatcomconfigungmnt@ma	tcom.usmc.	mil								
Distribution Statement A: App Unlimited.	roved for P	ublic Releas	e: Distribution	is			L	ļ		
Unlimited.			•			L		.		
						<u> </u>	<u> </u>	ļ		
		•				ļ		_		
	•					L	Ļ	_		
						├ ~				
						├ ─	-		4	
						 			4	
						 	├	├	4	
					<u> </u>	├	├ ─	 	4	
								 	1	
						+-	 	 	1 [
						┼┈╴	 	 	1	
į,						╁╴	1	1	1	
						╁┈┈		 	1	
<u>}</u>						╁┈╴		 	1	
						\dagger	†	† · · · ·	11	
						1	†		1	
l						T^-	1	1	1	
j						T^-	1	-	1	
i						T^{-}		1	1	
						1 -		1	1	
1						1	1	1	1	
						T^-		1	1	
ł								T -	1	
1							1	1]	
,									3	
]	
1					15. TOTAL	0) 1	0]	
G. PREPARED BY	***	H. DATE	I. APPRO	OVED BY		J. D/	ATE		1	
Sault Toyle		1.23-0	2 0.	1 De r	Cathorine	1-	2 7 -	~ د ه	1	